


Text messaging for depression and alcohol dependence syndrome



Mobile phone text message technology has the potential to improve outcomes for patients with depression and co-morbid alcohol dependence syndrome. This study explores the feasibility of using supportive text messages to improve on mood and abstinence outcomes for patients with depression and comorbid alcohol dependence syndrome. Fifty four patients with both depression and alcohol dependence syndrome who completed an inpatient treatment programme were randomised into two groups. One group received twice daily supportive text messages for three months in addition to usual care while the other group received only one text message every fortnight thanking them for taking part in the study. Primary outcome measures included the Cumulative Abstinence Duration and Becks Depression Inventory scores at three and six months. Secondary outcomes included the Global Assessment of Function Scale scores at three and six months.

[\[PDF\] Painting the Dragon](#)

[\[PDF\] Mors Mystica: Black Metal Theory Symposium](#)

[\[PDF\] Charakteristika freiberuflicher Trainer/innen: Kompetenzen und Fähigkeiten zur erfolgreichen Durchführung von Trainings in der Erwachsenenbildung \(German Edition\)](#)

[\[PDF\] Wholesaling and Physical Distribution \(Occupational manuals and projects in marketing\)](#)

[\[PDF\] Metropolis](#)

[\[PDF\] Orthopedic surgery and other medical papers](#)

[\[PDF\] Funktionalvergabe Von Komplexen FM Dienstleistungen Nach Gefma 733 Und 960 \(German Edition\)](#)

Supportive text messages for patients with alcohol use disorder and Mar 29, 2012 Mobile phone text message technology has the potential to improve outcomes for patients with depression and co-morbid Alcohol Use Disorder

Supportive text messages for patients with alcohol use disorder and Mar 29, 2012 Supportive text messaging for depression and comorbid alcohol use disorder: single-blind randomised trial. Agyapong VI(1), Ahern S, **Trial of**

Supportive Text Messages for Patients With Alcohol Use Mar 19, 2015 Trial of Supportive Text Messages for Patients With Alcohol Use Disorder and a Co-morbid Depression. This study is ongoing, but not recruiting **Supportive**

text messaging for depression and comorbid alcohol use Official Full-Text Publication: Supportive text messages for patients with alcohol use disorder and a comorbid depression: a protocol for a single-blind **Supportive text messaging**

for depression and comorbid alcohol use Psychosocial treatments for methamphetamine dependence are of limited Thus, a significant need exists for add-on therapy for this substance use disorder. .. Supportive text messaging for

depression and comorbid alcohol use disorder: **Text Messaging for Addiction: A Review - NCBI - NIH** Conclusion:

Supportive text messages have the potential to improve outcomes for patients with comorbid depression and alcohol dependency syndrome. **PubMed Result - NCBI** Supportive text messages for patients with alcohol use disorder and a comorbid depression: a protocol for a single-blind randomised controlled aftercare trial. **Six-months outcomes of a randomised trial of supportive text** Home Supportive text messaging for depression and comorbid alcohol use it with others and accept their help can help support depressive symptoms. **Supportive text messages to reduce mood symptoms and - NCBI** May 30, 2017 text messages, following discharge from an inpatient dual diagnosis treatment syndrome/alcohol abuse and either major depressive disorder or bipolar . patients with AUD and comorbid depression as to the usefulness of **References in Supportive text messaging for depression and** Supportive text messages for patients with alcohol use disorder and a comorbid depression: a protocol for a single-blind randomised controlled aftercare trial. Aug 5, 2016 Supportive text messages for patients with alcohol use disorder and a co-morbid depression: a protocol for a single blind randomised. **Perception of patients with alcohol use disorder and - NCBI 1:** Agyapong VI, Ahern S, McLoughlin DM, Farren CK. Supportive text messaging for depression and comorbid alcohol use disorder: single-blind randomised **Supportive text messaging for depression and comorbid alcohol use** May 15, 2015 Supportive text messages to reduce mood symptoms and problem drinking in patients with primary depression or alcohol use disorder: protocol **Supportive text messages for patients with alcohol use disorder and** May 29, 2017 Supportive text messages for patients with alcohol use disorder and a comorbid depression: a protocol for a single-blind randomised controlled **Usefulness of Supportive Text Messages in the Treatment of** Mobile phone text message technology has the potential to improve outcomes for patients with depression and co-morbid Alcohol Use Disorder (AUD). **Supportive text messaging for depression and comorbid alcohol use** Very little is known about the perception of patients with alcohol use disorder (AUD) and comorbid depression about the usefulness of supportive text messages. **Supportive text messages for patients with alcohol use disorder and** N/A. Other: Control group: Supportive text messages intervention Alcohol use disorder, Depression, Mood disorders, Bipolar disorder, and Supportive text **Supportive text messages for patients with alcohol use disorder and** Perception of patients with alcohol use disorder and comorbid depression about the usefulness of supportive text messages. Agyapong VI(1), Milnes J, **Trial of Supportive Text Messages for Patients With Alcohol Use** Mar 29, 2012 Mobile phone text message technology has the potential to improve outcomes for patients with depression and co-morbid Alcohol Use Disorder **Supportive text messaging for depression and comorbid alcohol use** **Perception of patients with alcohol use disorder and - ResearchGate** Mar 29, 2012 comorbid depression and alcohol dependence syndrome. . supportive text messaging on mood and alcohol abstinence in patients with **Supportive text messages for patients with alcohol use disorder and** Supportive text messages for patients with alcohol use disorder and a comorbid depression: a protocol for a single-blind randomised controlled aftercare trial. **Text messaging for depression and alcohol dependence syndrome** Dec 22, 2009 Usefulness of Supportive Text Messages in the Treatment of Depressed Alcoholics Patients With Co-morbid Alcohol Dependency Syndrome **A Cognitive Behavioral Therapy-Based Text Messaging Intervention** Text messaging-based addiction treatment is inexpensive and has the .. participants ? 18 years with depression and comorbid alcohol use disorder in Ireland **Supportive text messages for patients with alcohol use - BMJ Open** Mobile phone text message technology has the potential to improve outcomes for patients with depression and co-morbid alcohol dependence syndrome. **Supportive text messaging for depression and comorbid alcohol use** Supportive text messaging for depression and comorbid alcohol use disorder: single-blind randomised trial? V.I.O., Farren, C.K., McLoughlin, D.M. Mobile phone text message interventions in psychiatry what are the possibilities?. Current **Supportive text messages for patients with alcohol use disorder and** May 30, 2017 Supportive text messages for patients with alcohol use disorder and a comorbid depression: a protocol for a single-blind randomised controlled. **Supportive Text Messages to Reduce Mood Symptoms - NCBI - NIH** Jan 16, 2014 Alcohol use disorders (AUD) often co-occur with major depressive disorder The comorbid disorder was either not recognized or was not treated, under of psychological treatment and depression (both MeSH terms and text words). .. text messaging for depression and comorbid alcohol use disorder.